


KULU

ASSEMBLY INSTRUCTIONS

THESE INSTRUCTIONS APPLY TO OUR KULU BED BASE.

We recommend two
people to assemble
this bed base.


FITTINGS FOR ASSEMBLY:




1x SPANNER



4x THREADED
BOLTS



1x HEXAGON
KEY*




4x NUTS



8x WOODEN
DOWELS



4x HALF MOON
WASHERS




4x HEX KEY
BOLTS*

*Illustrations are not to scale.
Please note, single beds
will include less fittings.*

**Only included if you have
ordered side tables.*


1.



Slot the dowels into the top and bottom holes at either end of the side rails (longer rails).

Note: If you have ordered side tables, note the positioning of the holes at one end of the side rails, and place these to the head-end of the bed.


2.



Screw the threaded bolts into the middle holes on the headboard and foot-board as illustrated.


Note: If you have ordered side tables, there will be additional holes to the far left and right hand sides of the headboard. You don't need to do anything with these for now.

3.




Slot the side rails into the headboard and foot-board, lining up the dowels and threaded bolts. Once slotted into place, affix the half moon washer and nut onto the threaded bolts and tighten with the spanner provided.

4.



Stand back and make sure the bed is square before continuing.

5.



Affix the centre rail as shown,
slotting it into the pre-existing
fittings at the head and foot-end.


**If you have ordered side
tables, continue to Step 6.**

If not, skip to Step 9.


6.

Locate the side tables and identify the left and right ones from the numbers on the short edge (next to the pre-existing dowel).

These will match up with the numbers on the corresponding side of the headboard panel.




7.



Slide the side table into place on the headboard, using the dowel to anchor it.

Then, holding the table in place, screw in the hex-key bolts through the side rails and into the holes on the side table, and tighten with the allen key provided.

8.



Lastly, affix the end caps onto the slats, then slot the slats into place down the whole length of the bed.

**If you have ordered a single bed, there will only be one column of slats.*

**If you have ordered a single or superking bed, or a bed with solid pine slats, separate instructions will be included for your slat system.*

THANK YOU FOR BUYING A BED FROM



**NATURAL BED
COMPANY**

DEVONSHIRE POINT, 123-125 FITZWILLIAM STREET, SHEFFIELD, S1 4JP

0114 272 1984

sales@naturalbedcompany.co.uk

www.naturalbedcompany.co.uk